

**IN THE CLAIMS:**

1 1.-29. (cancelled)

1 30. (Currently Amended) A monitoring device for use with a household electric  
2 appliance, the monitoring device comprising:

- 3 i. a read and write memory storing a plurality of measurements of said  
4 at least one physical quantity within a predetermined time period  
5 relating to the household electric appliance, the storing of a last  
6 measured value of said at least one physical quantity causing the  
7 deletion of a first measured value within said plurality of values in the  
8 read and write memory;  
9 ii. a first interface means to connect to one or more sensors for measuring  
10 at least one physical quantity of the household electric appliance;  
11 iii. a means for measuring at least one electric quantity by measuring an  
12 electric current running through the monitoring device;  
13 iv. a storage means containing one or more predefined values of the at  
14 least one physical quantity;  
15 v. a microcontroller to process measurements of the at least one physical  
16 quantity and the at least one electric quantity to determine at least one  
17 piece of information ~~by comparing the value of the at least one~~  
18 ~~physical quantity with one or more predefined values~~ relating to the  
19 operation of the household electric appliance or being employed in a  
20 treatment cycle during operation of the household electric appliance,  
21 by comparing a value of said at least one physical quantity with one or  
22 more stored predefined values; and  
23 vi. a second interface means to send the at least one piece of information  
24 to a remote center.

1 31. (Currently Amended) The monitoring device as in claim 30, further comprising:

2 a wireless communication device within the first interface means, the wireless  
3 communication device communicating with at least one internal sensor within the  
4 household electric appliance where the at least one internal sensor measures a second  
5 physical quantity of an internal part of the household ~~device~~electric appliance; and  
6 the microcontroller adapted to further process the measurements of the second  
7 physical quantity.

1 32. (Cancelled )

1 33. (Currently Amended) The monitoring device of claim 30, further comprising:  
2 a timing unit, where the timing unit allows an instant in time to be associated with  
3 the measurements of the one or more physical quantities and at least one electrical  
4 quantity.

1 34. (Previously Presented) The monitoring device of claim 30, wherein the at least one  
2 electrical quantity includes at least one of: momentary electric current drawn by the  
3 household electric appliance, line voltage applied to the household electric appliance,  
4 momentary electric power drawn by the household electric appliance, electric energy  
5 consumption of the household electric appliance within a predefined time period, a power  
6 factor of the load represented by the household electric appliance,  $\cos(\Phi)$  of the load  
7 represented by the household electric appliance, and type of reactive power of the load  
8 represented by the household electric appliance.

1 35. (Previously Presented) The monitoring device of claim 30, wherein the first interface  
2 is connected to the one or more sensors through a wireless connection.

1 36. (Previously Presented) The monitoring device of claim 30, wherein the second  
2 interface means is connected to the remote center through a wireless connection.

1 37. (Previously Presented) The monitoring device of claim 30, wherein the household  
2 electric appliance includes one of: a clothes dryer, a washing/drying machine, a  
3 dishwasher, a refrigerator, a freezer, a refrigerator/freezer, an electric oven, a gas oven, a  
4 microwave oven, a gas cooking top, an electric cooking top, a magnetic induction  
5 cooking top, a kitchen hood, a conditioner, a gas boiler, an electric water heater, an air  
6 conditioner, a hair dryer, an iron, a Hi-Fi system, a mixer or any other electric  
7 kitchenware, a lighting device, an alarm device.

1 38. (Previously Presented) The monitoring device of claim 30, wherein the one or more  
2 physical quantities includes at least one of: temperature, flow rate, conductivity, weight,  
3 absolute humidity, relative humidity, pressure, linear displacement, linear velocity, linear  
4 acceleration, angular displacement, angular velocity, angular acceleration, chemical  
5 concentration, sound pressure, sound intensity, light intensity, oscillation frequency, and  
6 oscillation amplitude.

1 39. (Previously Presented) The monitoring device of claim 30, further comprising:  
2 an information storage means for storing the at least one piece of information in  
3 the read and write memory.

1 40. (Previously Presented) The monitoring device in claim 30, wherein the household  
2 electric appliance is one of a laundry washing machine and a washing/drying machine  
3 adapted to perform at least one wash treatment on textile items, the one or more physical  
4 quantities being preferably at least one of the following: weight of the textile items being  
5 present in the basket of the washing machine or the washing/drying machine, flow rate of  
6 water supplied to the washing machine or the washing/drying machine, temperature of  
7 washing liquid contained in a tub of the washing machine or the washing/drying machine,  
8 and conductivity of the washing liquid drained by the washing machine or the  
9 washing/drying machine, where the washing liquid comprises water and at least one  
10 washing agent.

1 41. (Currently Amended) A monitoring device for use with a household electric

appliance, the monitoring device comprising:

- i. a read and write memory storing a plurality of measurements  
~~containing one or more predefined values of said~~ at least one physical  
quantity within a predetermined time period, the storing of a last  
measurement of said at least one physical quantity causing the deletion  
of a first measurement of said at least one physical quantity;
- ii. a first interface means to connect to one or more external sensors and  
one or more internal sensors for measuring said at least one physical  
quantity of the household electric appliance, where the one or more  
internal sensors are connected to the monitoring device by way of an  
electronic control means and the first interface means ~~through a~~  
~~communication means directly connected the one or more internal~~  
~~sensors;~~
- iii. a means for measuring at least one electric quantity by measuring an  
electric current running through the monitoring device;
- iv. a microcontroller configured to:
  - a) \_\_\_\_\_-process measurements of the one or more physical quantities and  
the at least one electric quantity to determine at least one piece of  
information relating to or being employed in a treatment cycle during  
operation of the household electric appliance, where the at least one piece  
of information includes at least one of: functional information, statistical  
information, and diagnostic information relating to the household electric  
appliance by comparing ~~said a~~ value of said at least one physical quantity  
with one or more predefined values that relate to values for the treatment  
being performed by the appliance during said predetermined time period;  
and
  - b) \_\_\_\_\_ extrapolate from said plurality of measurements of said at least one  
physical quantity a data packet representative of the evolution of said at  
least one physical quantity within said predefined time period; and
- v. an information storage means for storing the at least one piece of

32 information in the read and write memory.

1 42. (Previously Presented) The monitoring device of claim 41, wherein the first interface  
2 means is an electric cable to the one or more external sensors.

1 43. (Previously Presented) The monitoring device of claim 41, wherein the first interface  
2 means is wirelessly connected to the communication means.

1 44. (Previously Presented) The monitoring device of claim 41, wherein the first interface  
2 means is wirelessly connected to the one or more external sensors.

1 45. (Previously Presented) The monitoring device of claim 41, wherein the first interface  
2 means is connected to the first communication means.

1 46. (Previously Presented) The monitoring device of claim 41, wherein the  
2 communication means and the one or more internal sensors are connected through an  
3 electronic control means, where the electronic control means collects, stores, and  
4 processes the measurements from the at least one physical quantity from the one or more  
5 internal sensors.

1 47. (Currently Amended) A system for monitoring a household electric appliance, the  
2 system comprising:

- 3 a) a household electric appliance;
- 4 b) one or more external sensors to measure one or more physical external  
5 quantities of the household electric appliance being external  
6 measurements;
- 7 c) an electronic control means connected to one or more internal sensors,  
8 where the one or more internal sensors measure one or more physical  
9 internal quantities of the household electric appliance, the electronic  
10 control means configured to collect, store, and process measurements of  
11 the one or more physical internal quantities being internal measurements;

- 12 d) a communication means communicating with the electronic control means  
13 to transfer one or more of said external measurements and one or more of  
14 said internal measurements, over a predetermined time period ~~the~~  
15 ~~measurements of the one or more physical internal quantities~~ to a first  
16 interface means on a monitoring device;
- 17 e) the monitoring device including:
- 18 a. a read and write memory storing a plurality of measurements of at  
19 least one physical quantity within a predetermined time period, the  
20 storing of a last measurement of said at least one physical quantity  
21 causing the deletion of a first measurement of said at least one physical  
22 quantity ~~containing one or more predefined values of the one or more~~  
23 ~~physical external quantities and one or more physical internal~~  
24 ~~quantities,~~
- 25 b. the first interface means to connect to the one or more external sensors  
26 and the communication means to receive the measurements of the one  
27 or more physical external quantities and the one or more physical  
28 internal quantities,
- 29 c. a means for measuring at least one electric quantity by measuring an  
30 electric current running through the monitoring device,
- 31 d. a timing unit to associate an instant in time ~~with~~ at which the  
32 measurements of the one or more physical quantities and the at least  
33 one electric quantity are taken,
- 34 e. a microcontroller configured to:
- 35 (i) \_\_\_\_\_-process the measurements of the one or more physical  
36 external quantities , with one or more physical internal  
37 quantities, and the at least one electric quantity, ~~and~~ at the  
38 instant in time, to determine at least one piece of information  
39 relating to the household electric appliance, where the at least  
40 one piece of information includes at least one of: functional  
41 information, statistical information, and diagnostic

information relating to the household electric appliance by  
comparing ~~said a combination of~~ values of at least one  
physical external quantity, ~~or~~ physical internal quantity and  
at least one electrical quantity with one or more predefined  
~~values~~ a reference combination of physical and electrical  
quantities being the combination that best represents the  
proper operation of the appliance at that instant in time, and

(ii) \_\_\_\_\_

collect information that allows the system to trace a history  
of the monitored electric appliance that permits the  
microprocessor to build in the read and write memory,  
profiles being indicative of a trend within a predefined time  
period of a particular physical quantity or typology of  
information obtained by the microcontroller based upon  
values detected by the sensors; and

f. a second interface means to send the at least one piece of information  
to a remote center; and

f) \_\_\_\_\_ g. \_\_\_\_\_ the remote center configured to collect the at least  
one piece of information from one or more monitoring devices connected  
to respective household electric appliances and to extract statistical  
information about the household electric appliances being monitored.

48. (Previously Presented) The system of claim 47, wherein the remote center receives a  
plurality of information sent by the monitoring device that the remote center collects and  
sorts for the purpose of identifying at least one parameter related to the operation of a  
washing machine or a washing/drying machine, the at least one parameter being  
preferably at least one of the following: number of wash treatments performed by the  
washing machine or the washing/drying machine within a predefined time interval,  
quantity and typology of textile items loaded on average by a user for each wash

8 treatment, quantity and typology of washing agents loaded on average by the user for  
9 each wash treatment, average quantity of water used by the washing machine or the  
10 washing/drying machine for each wash treatment, and average electric energy absorbed  
11 by the washing machine or the washing/drying machine for each wash treatment.

1 49. (Cancelled)